



UPDATES ON IRON AND STEEL IMPORTATION PROCEDURES



SIRIM QAS International
CERTIFICATION • INSPECTION • TESTING

DEFINITIONS

Consignment Verification: Visual inspection and document verification on imports, carried out by SIRIM QAS International/CIDB

Sampling: A defined procedure whereby a part of a product or material is taken to provide for testing of a representative sample of the whole consignment.

CONT.

- **Accredited Testing Laboratory** : Local labs is a test laboratory accredited to ISO 17025 by Standard Malaysia . Foreign lab is an international test laboratory registered with ILAC or APLAC or MRA signatory. They are accredited to specific scope of task
- **Third Party Inspection Body** : Inspection body accredited to ISO/IEC 17020 for specific scope of tasks
- **Certification bodies** : Certification Bodies that achieved accreditation to ISO Guide 65 –Type 5 certification

Recognized Accreditation Symbols



**Asia Pacific Laboratory
Accreditation Cooperation**



**Pacific Accreditation
Cooperation**



**International Laboratory
Accreditation Cooperation**



**International
Accreditation Forum**

METHODS AND PROCESSES FOR PRODUCTS IMPORTATION

**LONG TERM IMPORTATION
PRODUCT CERTIFICATION
(PC License)**

**SIRIM PRODUCT
CERTIFICATION**

**Foreign
Certification
Body (CB)**

**SHORT TERM IMPORTATION
PRODUCT LAB TEST
(Full Type Test Report)**

**TESTING AT
SIRIM/LOCAL
ACCREDITED LAB**

**TESTING AT
FOREIGN LAB
(APLAC/ILAC
MRA)**

SHORT TERM – LABORATORY TEST REPORT

“Validity period of FTTR – 6 months from the issuance date of Full Type Test Report”.

APPOINT LABORATORY

TESTING AT FOREIGN LAB (APLAC/ILAC MRA)

SELECT ACCRED. LAB (BY IMPORTER)

SUBMIT TO SIRIM FOR CONFIRMATION

CONFIRMATION / APPROVAL BY SIRIM

SAMPLING BY SIRIM / THIRD PARTY INSPECTION BODY (TPIB)

CONDUCT FULL TYPE TEST

ISSUE FULL TYPE TEST REPORT

SHIPMENT ARRIVED AT PORT OF ENTRY

SUBMIT APPLICATION FOR COA

CONSIGNMENT VERIFICATION AT PORT OF ENTRY

Checking Marking

TESTING AT SIRIM / ACCRED. LOCAL LAB

SUBMIT APPLICATION FOR FTTR REPORT TO SIRIM

ARRANGE FOR SIRIM SAMPLING AT COUNTRY OF ORIGIN / MALAYSIA PORT*

CONDUCT FULL TYPE TEST BY SIRIM/ LOCAL ACCREDITED LAB**

ISSUE FULL TYPE TEST REPORT

SHIPMENT ARRIVED AT PORT OF ENTRY

SUBMIT APPLICATION FOR COA

CONSIGNMENT VERIFICATION AT PORT OF ENTRY

Checking Marking

ISSUE COA

Testing scope shall be accredited to ISO/IEC 17025

Before shipment

Inspection body shall be accredited to ISO/IEC 17020

* SIRIM will not commit issuance of COA of 3 working days for consignment arrives without Full Type Test Report. The consignee shall arrange for process of cutting samples witness by SIRIM, consignee shall bear all the cost incurred at port i.e. storage charges, cutting samples and etc.

**For testing conducted at local accredited lab, the consignee shall submit the scope of accreditation to ISO 17025 for SIRIM evaluation.

ISS for COA Approval (with Full Type Test Report / PC License): 3 working days from Consignment Verification.

LONG TERM – PRODUCT CERTIFICATION

APPOINT CERT. BODY (CB)

Validity period – 1 year

SIRIM PRODUCT CERTIFICATION

FOREIGN CB (IAF/PAC MLA)

SUBMIT APPLICATION FOR PRODUCT CERT.

SUBMIT FCB INFO TO SIRIM

Before shipment

CONDUCT ASSESSMENT & SAMPLING BY PC AUDITOR

CONFIRMATION & APPROVAL BY SIRIM

Certification body shall be accredited to ISO/IEC Guide 65

CONDUCT TESTING FOR PC LICENSE

IMPORTER APPOINT THE APPROVED FCB

Testing scope shall be accredited to ISO/IEC 17025

FCB CONDUCT ASSESSMENT

ISSUE PC LICENCE

FCB ISSUE PRODUCT CERTIFICATION

ARRANGE FACTORY VISIT FOR SIRIM

One time only (for product & factory)

SUBMIT APPLICATION FOR COA

SUBMIT PC TO SIRIM FOR APPLICATION

SUBMIT APPLICATION FOR COA

ISS for COA Approval (with Full Type Test Report / PC License): 3 working days from Consignment Verification.

CONSIGNMENT VERIFICATION AT PORT OF ENTRY / FACTORY *


CONSIGNMENT VERIFICATION AT PORT OF ENTRY / FACTORY *

*Direct Discharge Cargo Only – Verification can be conducted at Factory

Checking marking to standard with product certification logo

Checking marking to standard with product certification logo

ISSUE COA



OTHER METHODS (TO BE MAINTAINED):

- Method Patented – Consignment with Patented Materials
- Method Local Sales – Consignment for Local Sales (from bonded warehouse/FCZ/FIZ) – with Master COA
- Method Exemption – Consignment with COA Exemption

FULL TYPE TEST GUIDELINES

USEFUL WEBSITES

<http://www.standardsmalaysia.gov.my>

<http://www.ilac.org>

<http://www.malaysiancertified.com.my>

**150 HS CODES
UNDER IRON &
STEEL AND
ALUMINIUM**

IRON AND STEEL PRODUCTS

1



NO.	HS CODE 2012			PRODUCT DESCRIPTION	COA ISSUANCE ORGANIZATION
7207				Semi-finished products of iron or non-alloy steel.	
- Containing by weight less than 0.25% of carbon:					
1	7207	11	000	-- Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	SIRIM
2	7207	19	000	-- Other	SIRIM
7207 20				- Containing by weight 0.25% or more of carbon:	
3	7207	20	200	-- Containing by weight less than 0.6 % of carbon	SIRIM
4	7207	20	900	-- Other	SIRIM
7208				Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated.	
5	7208	10	000	- In coils, not further worked than hot-rolled, with patterns in relief	SIRIM
- Other, in coils, not further worked than hot-rolled, pickled:					
6	7208	25	000	-- Of a thickness of 4.75 mm or more	SIRIM
7	7208	26	000	-- Of a thickness of 3 mm or more but less than 4.75 mm	SIRIM
8	7208	27	000	-- Of a thickness of less than 3 mm	SIRIM
- Other, in coils, not further worked than hot-rolled:					
9	7208	36	000	-- Of a thickness exceeding 10 mm	SIRIM
10	7208	37	000	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	SIRIM
11	7208	38	000	-- Of a thickness of 3mm or more but less than 4.75 mm	SIRIM
7208 39				-- Of a thickness of less than 3 mm:	
12	7208	39	200	--- Containing by weight less than 0.6% of carbon	SIRIM
13	7208	39	900	--- Other	SIRIM
14	7208	40	000	- Not in coils, not further worked than hot-rolled, with patterns in relief	SIRIM
- Other, not in coils, not further worked than hot-rolled:					
15	7208	51	000	-- Of a thickness exceeding 10 mm	SIRIM/CIDB
16	7208	52	000	-- Of a thickness of 4.75 mm or more but not exceeding 10	

CONTACT DETAILS – SIRIM QAS INTERNATIONAL

CIDB HQ, PWTC

Address	Tingkat 35, No 45, Menara Dato' Onn, Pusat Dagangan Dunia Putra (PWTC) Jalan Tun Ismail, 50480 Kuala Lumpur
Tel. No.	03-4047 7437 (Pn. Rohana Abd. Manan) 03-4047 7438 (En. Zulkefli Ismail) 03-4047 7439 (E n. Nazrin)
Fax No.	03-40477420

OTHERS

Jabatan Standard Malaysia	03-8318 0002 http://www.standardsmalaysia.gov.my
Jabatan Kastam DiRaja Malaysia	03-780607200 http://www.customs.gov.my
Dagang Net Technologies Sdn Bhd	03-2730 0200 / 1-300-133-133
International Laboratory Accreditation Cooperation (ILAC)	https://www.ilac.org
Asia Pacific Laboratory Accreditation Cooperation (APLAC)	http://www.aplac.org

THANK YOU

En. Dalha Bin Rahmat
Civil & Construction Section
Testing Services Department
SIRIM QAS INTERNATIONAL SDN. BHD.

Tel : 603-5544 5874

Fax : 603-5544 5886

Email : dalha@sirim.my