



RULES ON THE USE OF SIRIM QAS INTERNATIONAL CERTIFICATION MARKS FOR MANAGEMENT SYSTEMS (ISO/IEC 17021-1)

These rules specify how SIRIM QAS International's certification marks shall be depicted and the conditions relating to their use.

A client whose management system has been certified by SIRIM QAS International is entitled to use the applicable management system certification mark of SIRIM QAS International. For multi-site organizations, only sites whose activities are included in the scope of the certification may use the applicable certification mark. The right to use the certification mark does not extend to the parent company or to the subsidiary(ies) of the certified client unless these entities are also included in the certification.

SIRIM QAS International's certification mark may be used on its own or in combination with the accreditation mark which appears on the management system certificate issued to the client. The mark used shall clearly reflect the management system for which the client has been certified.

The applicable management system certification mark when used on its own shall be as shown in *Annex 1*.

For a client whose Quality Management System has been certified to more than one standard e.g. ISO 9001 and IATF 16949, a single mark may be used but the applicable standards and certification numbers shall be specified below the mark.

The certification marks may be used in literature, stationery and advertising. However, they shall not be used on products or packaging (both primary and secondary), and laboratory test, calibration or inspection reports or certificates, as such reports or certificates are deemed to be products in this context.

The official artwork of certification marks in *Annex 1* may be obtained from SIRIM QAS International via email to cserviceqas@sirim.my. In the case of preprinted material e.g. letterhead, stationery, newspaper and magazine articles, the certification marks may be reproduced in the predominant colour of these items.

The marks and associated text shall always follow the relative proportions as illustrated in *Annex 1* although they may be uniformly enlarged or reduced. The lower limit of the size of the marks shall be such that the associated text is clearly legible. The marks shall always be used with the associated text.

The use of SIRIM QAS International's name, corporate logo, trademarks or any intellectual property under any circumstances without prior written approval of the Chief Executive Officer is strictly forbidden.

Management system certification mark with Standards Malaysia accreditation mark

The SIRIM QAS International management system certification mark may be used in combination with the Standards Malaysia accreditation mark by a client who has been issued with a Standards Malaysia accredited certificate. In all instances where the accreditation mark is used by the client, it shall be together with the applicable management system certification mark with associated text as shown in *Annex 2*.

The marks, when used in combination, shall be used as depicted in *Annex 2*. The client, however, may use the Standards Malaysia mark in black and white and may be obtained the official artwork from SIRIM QAS International via email to cserviceqas@sirim.my.

The combined marks, as depicted in *Annex 2*, may be uniformly enlarged or reduced, but all the accompanying text shall always remain legible. The combined marks may be used in literature, stationery and advertising. The marks shall not be used on products or packaging (both primary and secondary), and laboratory test, calibration or inspection reports or certificates, as such reports or certificates are deemed to be products in this context.

Management system certification mark with UKAS accreditation mark

The SIRIM QAS International management system certification mark may be used in combination with the UKAS accreditation mark by a client who has been issued with a UKAS accredited certificate. In all instances where the UKAS accreditation mark is used, it shall be together with the applicable management system certification mark with associated text as shown in *Annex 3*.

The combined mark, as depicted in *Annex 3*, may be enlarged or reduced. However, the UKAS accreditation mark shall normally have a minimum height of 20 mm (excluding the accreditation number). In exceptional circumstances, when dictated by space limitation, the mark may be reproduced at a reduced height. Such reduction in the height of the mark is allowed provided that there is no infilling and the accompanying text remains legible. The mark shall always be used with the associated text.

The management system certification mark together with the UKAS accreditation mark may be used in literature, stationery and advertising. "Advertising" shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on vehicles or flags. The mark shall also not be used on products and packaging (both primary and secondary), and laboratory test, calibration or inspection reports or certificates, as such reports or certificates are deemed to be products in this context and on the exterior walls of buildings.

For Aerospace Quality Management System certification scheme, the International Aerospace Quality Group (IAQG) design mark is non-transferable, and the logo shall not be used in any form of documents or marketing materials except the AQMS certificate.

Management system certification mark with IQNET recognized certification mark

The IQNET recognized certification mark is owned by the IQNET Association.

As a globally recognized brand, together with the SIRIM QAS International's certification mark, the IQNET mark pushes certified clients' business at par with international players, opening for the certified clients more opportunities to trade, build an international presence, and sustain growth.

The IQNET recognized certification mark shall be used in combination with the SIRIM QAS International's certification mark and may only be used by the certified client according to the following rules:

- Always in conjunction with SIRIM QAS International's certification mark with associated text as shown in *Annex 4*.
- clearly linked to the name of the certified organization
- within the validity period of the SIRIM QAS International and IQNET certificate
- within the certified scope/ area
- without any changes

The marks and associated text shall always follow the relative proportions as illustrated in *Annex 1* although they may be uniformly enlarged or reduced. The lower limit of the size of the marks shall be such that the associated text is clearly legible. The marks shall always be used with the associated text.

The management system certification mark together with the IQNET recognized certification mark may be used in documents, signs, windows, website and advertising media. When the certificate coverage/scope does not cover all activities of the certified client and/or when its use may induce an error on the certified scope, a clear description of the certificate coverage/scope shall be made together with the IQNET mark.

The mark shall not be used on products nor on primary packaging or any secondary packaging which could reach the end user (e.g. a tray containing cartons of milk, a box containing multiple packs of 500 sheets of photocopy paper, etc.). Shall also not be used related to any kind of management system certification when forbidden by legal requirements.

Use of statements making reference to the certification (Applicable to all the marks referred in Annexes)

The use of any of the management certification marks on products is strictly prohibited. This prohibition includes all primary and secondary packaging.

However, a client whose management system has been certified by SIRIM QAS International is entitled to use a statement on product packaging or in accompanying information that it has a certified management system. Product packaging is considered as that which can be removed without the product disintegrating or being damaged. Accompanying information is considered as separately available or easily detachable. Type labels or identification plates are considered as part of the product. The statement shall in no way imply that the product, process or service is certified.

Where such a statement is used, it shall include reference to:

- i) identification (e.g. brand or name) of the certified client;
- ii) the type of management system (e.g. quality, environment) and the applicable standard;
- iii) the name of the certification body i.e. SIRIM QAS International Sdn. Bhd.

An example of a statement that may be used is as follows:

"Manufactured by ABC Sdn. Bhd. whose quality management system is certified to ISO 9001:2015 by SIRIM QAS International".

Equivalent statements, carrying the same meaning, may be acceptable.

Misuse of the Management System Certification Marks

- a) Any recreating/ reproducing of the management system certification mark without prior written approval by SIRIM QAS International is strictly forbidden.
- b) Any act such as addition and/or omission by certified client with or without intention that has breach the term and guidelines provided herein shall be considered as an act of misuse of the management system certification mark.
- c) SIRIM QAS International shall have the right to make an investigation related to the relevant management system without giving notice to the certified client once SIRIM QAS International received such a complaint.
- d) SIRIM QAS International shall have the right to terminate the certified client and the agreement with the certified client if it is shown there are evidence of misuse of the management system certification mark.
- e) SIRIM QAS International shall have the right to claim from the certified client for any loss and cost incurred that SIRIM QAS International has to suffer as a result of the misuse including legal proceedings and public notification costs.
- f) SIRIM QAS International shall have the right to make a claim through court jurisdiction if the remedy provided by arbitration is not sufficient to cover the loss and cost suffered by SIRIM QAS International due to the misuse.

Note :

1. **The numeric identification YYYY in the standard (e.g. ISO 9001:YYYY) refers to year of revision of the standard. Client is required to confirm the revision number of the standard by referring to the latest version of the certificate issued by SIRIM QAS International.**
2. **The alpha-numeric identification XXXXXX in the Cert No. (e.g. CERT. NO. : XXXXXX) refers to the certification number of the certificate. Client is required to confirm the Cert No. by referring to the latest version of certificate issued by SIRIM QAS International.**

ANNEX 1



SIRIM

CERTIFIED TO ISO 9001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO IATF 16949:YYYY
SIRIM CERT. NO. : XXXXXX
IATF CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 13485:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 14001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 45001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 37001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MS 1900:YYYY
CERT. NO. : XXXXXX



SIRIM

Certified to Good Distribution Practice for
Medical Devices
(MDA/RR No.1:YYYY)
Cert. No. : XXXXXX



SIRIM

CERTIFIED TO ISO 50001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO/IEC 27001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO/IEC 20000-1:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 39001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 22301:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 28000:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 55001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 22000:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MS 1480:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MS 1514:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MTCS ST 1002:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MYNI RSPO:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MSPO:PART Y:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 41001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 21001:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 18788:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MS 2610:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MS 2696:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO MS 2697:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO
MS 2696:YYYY & MS 2697:YYYY
CERT. NO. : XXXXXX & XXXXXX



SIRIM

CERTIFIED TO
AS 9100:YYYY/ EN 9100:YYYY/ JISQ9100:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO SIRIM 50:YYYY
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO IQNET SR 10
CERT. NO. : XXXXXX



SIRIM

CERTIFIED TO ISO 37301
CERT. NO. : XXXXXX

ANNEX 2


Management system certification mark with Standards Malaysia accreditation mark




CERTIFIED TO ISO 9001:YYYY
CERT. NO. : XXXXXX




CERTIFIED TO ISO 14001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 45001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 37001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 13485:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO/IEC 27001:YYYY
CERT. NO. : XXXXXX




CERTIFIED TO MS 1480:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 22000:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO MC&I (YYYY)
CERT. NO. : XXXXXX



CERTIFIED TO MS 1514:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO MSPO:PART Y:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 50001:YYYY
CERT. NO. : XXXXXX




CERTIFIED TO ISO 22301:YYYY
CERT. NO. : XXXXXX

ANNEX 3

Management system certification mark with the UKAS accreditation mark




CERTIFIED TO ISO 9001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 14001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO/IEC 27001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO
AS 9100:YYYY/ EN 9100:YYYY/ JISQ 9100:YYYY
CERT. NO. : XXXXXX

ANNEX 4

Management system mark with the IQNET recognized certification mark



CERTIFIED TO ISO 9001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 14001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 45001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 13485:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO/IEC 27001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 22000:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO/IEC 20000-1:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 50001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 37001:YYYY
CERT. NO. : XXXXXX



CERTIFIED TO ISO 22301:YYYY
CERT. NO. : XXXXXX